Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed 16/11/10 Issued 11/11/2010 Revision 1.0 (11/11/2010)

SAFETY DATA SHEET

(According to Regulation EC No 453/2010)

1 - IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier			
Chemical name:	Cuprate (2-) disodium 2,2'-({2- [bis(carboxymethyl)amino]ethyl}imino)diacetate		
Trade name:	DALT Cu		
Synonyms:	Ethylendiaminetetraacetic acid, copper disodic complex		
	Copper EDTA		
CAS Registry number:	14025-15-1		
EINECS No:	237-864-5		
Index No.:	N.A.		
Registration number:	N.A.		
Molecular weight:	398.7		
Formula:	C10H12CuN2O8.2Na		
1.2 Relevant identified uses of the substance and uses	advised against		
Relevant identified uses of the substance:	Fertiliser		
1.3 Details of the supplier of the safety data sheet:			
Company:	VALAGRO Spa		
	Zona Industriale		
	66041 ATESSA (CHIETI) ITALY		
	Tel. (+39) 0872 8811		
	Fax (+39) 0872 881382		
Competent person responsible for the safety data sheet:	E-mail: regulatory@valagro.com		
1.4 Emergency telephone number:	Tel. (+39) 02 66101029 (Centro Antiveleni Ospedale Niguarda Milano)		
	Tel. (+39) 0872 8811 (Valagro Spa _ from Monday to		

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ===ISO 14001====

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=







Maxicrop

Printed	16/11/10	Issued	11/11/2010	Revision	1.0 (11/11/2010)

Friday from 8.30 to 13:00 and from 14:00 to 17.30 h)

2 - HAZARDS IDENTIFICATIONS

2.1 Classification of the substance:

Classification according to Regulation (EC) No 1272/2008:

Warning , Acute Tox. 4, H302: Harmful if swallowed.

Classification according to Directive 67/548/EEC:

Xn, Harmful R22: Harmful if swallowed.

Most important adverse physicochemical, human health and environmental effects:

see sections from 9 to 12.

2.2 Label Elements:

Hazard pictograms:

Signal word: Warning

Hazard statements:

H302: Harmful if swallowed

Precautionary statements:

P264 Wash thoroughly with water and soap after

handling.

P270 Do not eat, drink or smoke when using this product.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell.

P330: Rinse mouth.

P501: Dispose of contents/container in accordance with applicable

regulations.

2.3 Other hazards:

None

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV

ISO 14001









Maxicrop

Printed	16/11/10	Issued	11/11/2010	Revision	1.0 (11/11/2010)
---------	----------	--------	------------	----------	------------------

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Name	N° EINECS	CAS NUMBER	%
Copper EDTA	237-864-5	14025-15-1	90-97
Water	231-791-2	7732-18-5	10-3

4 - FIRST AID MEASURES

4.1 Description of first aid measures

Routes of exposure:

- Inhalation:

Powder can irritate respiratory tract and may cause bronchitis. If symptoms persist, seek medical advice.

- Skin:

Take off all contaminated clothing. Rinse abundantly with water and soap. Seek medical advice in case of irritation. Wash clothes before reuse.

Eye:

Rinse immediately and abundantly with water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if the irritation spreads out

- Ingestion:

Rinse mouth, give water to drink, induce vomiting. If the subject is unconscious do not induce vomiting. Seek medical advice

Advice:

Who provides the first medical aide must use the individual protection equipment (latex gloves and safety glasses)

4.2 Most important symptoms and effects, both acute and delayed

- Inhalation:

Irritation of respiratory tract and possibility of bronchitis

- Skin:

Possible irritation according to the contact time with the product

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed 16/11/10 Issued 11/11/2010 Revision 1.0 (11/11/2010)

- *Eye:*

Possible irritation according to the contact time with the product

- Ingestion:

Harmful if swallowed

4.3 Indication of any immediate medical attention and special treatment needed

In case of accident, seek immediately medical advice showing the safety data sheet

5 - FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:

Water spray, foam, carbon dioxide (CO₂), dried chemical powders

Information on the appropriate extinguishing media:

Not relevant

Unsuitable extinguishing media:

None

Indications if extinguishing media are inappropriate for a particular situation involving the substance or mixture:

Nono

5.2 Special hazards arising from the substance:

In case of fire avoid to breath fumes, it may release nitrous fumes

5.3 Advice for firefighters

In case of fire and in close proximity wear the protective clothes heat resistant and air respiratory equipment

6 - ACCIDENTAL RELEASE MEASURE

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Keep away from the affected area people not involved in the emergency intervention

Alert the responsible of the internal emergency.

For emergency responders:

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed 16/11/10 Issued 11/11/2010 Revision 1.0 (11/11/2010)

Wear protective clothes giving a total skin protection, latex gloves and safety glasses.

See also section 8

6.2 Environmental precautions:

If possible store into a clean container either to reuse or disposal . Avoid waterway and discharging contamination, competent authority must be informed in case of waterway accidental contamination

6.3 Methods and material for containment and cleaning up:

Any release should be immediately cleaned up wearing protective clothes(suit, latex gloves and safety glasses).

If possible store into a clean container either to reuse or disposal. If possible absorb with the inert material After store , wash the area with water and suitable materials.

6.4 Reference to other sections:

Referred to Sections 8 and 13

7 - HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid powder inhalation

Avoid direct contact with skin and eyes. See the following section 8.

Remove all protective clothing before access to the areas where you eat

Always respect hygienic rules, do not drink neither eat in the working areas

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a well-ventilated place far from humidity and heat source.

7.3 Specific end use(s)

None

8 - EXPOSURE CONTROL/ PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values:

ACGIH

Substance na	ime	TLW-TWA (mg/m3)	TLV-STEL (ppm)	note	critical effects
Copper (powde fumes)	er and	1	N.A.	N.A.	Gastrointestinal Irritation Metal fume fever

Biological limit values: N.A.

DNEL: N.A. **PNEC:** N.A.

Recommended monitoring procedures: N.A.

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed	16/11/10	Issued	11/11/2010	Revision 1.0 (11/11/2010)
---------	----------	--------	------------	---------------------------

8.2 Exposure control

- Appropriate engineering controls:

Operate in well-ventilated areas

- Individual protection measures, such as personal protective equipment:

The personal protective equipment must be compliant to the regulation UNI -EN in force

Eye / face protection:

Wear safety glasses according to the standard EN 166, don't use contact lenses.

Skin protection:

-Hand protection: Wear latex gloves according to the standard EN 374. In case of permanent (>480 min) and direct contact, wear 100% nitrile rubber gloves

-Other: Wear total skin protection clothes

Respiratory protection: Use anti-powder mask with P2 filters in case of dust making. The powder exposition limit must be respected

Thermal hazards:

Not relevant

- Environmental exposure controls:

N.A.

9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical an	d chemical properties	
Appearence (25° C):	Blue microgranules	
Odour:	odourless	
Odour threshold:	N.A.	
pH:	4.5	Water solution 1% at 25 ° C
Melting point/freezing point:	N.A.	
Initial boiling point and boiling range:	N.A.	
Flash point:	N.A.	
Evaporation rate:	N.A.	
Flammability (solid, gas):	N.A.	

Printed

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com

16/11/10



11/11/2010

COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV

ISO 14001

Revision

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=



IDROPONICA

Issued



Maxicrop

1.0 (11/11/2010)

11111000 10/11/10	155464 11/1	10 (11/11/2010)
Upper/lower flammability or explosive limits:	LEL>=40	g/m^3
Vapour pressure:	N.A.	
Vapour density:	N.A.	
Relative density:		
Solubility:		
- Solubility in water:	1200	g/l at 25°C
- Lipid solubility:	N.A.	
Partition coefficient:	N.A.	
n-octanol/water		
Auto-ignition temperature:	> 200°C	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidising properties:	N.A.	
9.2 Other information	1	1
Conductivity	0.3	(1‰) mS/cm 18 °C

10 - STABILITY AND REACTIVITY

10.1 Reactivity:
Reacts with strong oxidizing agents
10.2 Chemical stability:
Stable at the usual work condition
10.3 Possibility of hazardous reactions:
Contact with strong oxidizing agents induces violent reactions
10.4 Conditions to avoid:
Heating of the product at high temperatures
10.5 Incompatible materials:
Strong oxidizing agents
10.6 Hazardous decomposition products:
In case of fire may release toxic nitrous fumes (NOx)

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed 16/11/10 Issued 11/11/2010 Revision 1.0 (11/11/2010)

11 - TOXICOLOGICAL INFORMATION

Toxicological (health) effects caused by exposure to the substance: see also sections 2 and 4.

11.1 Information on toxicological effects

Not available experimental data on the substance In case of EDTA tetra sodium salt:

- acute toxicity:

LD50 rat: >1740 mg/kg

- skin corrosion/irritation:

could be skin irritant

- serious eye damage/irritation:

could be eyes irritant

- respiratory or skin sensitisation:

not available data

- germ cell mutagenicity:

not available data

- Carcinogenicity:

not available data

reproductive toxicity:

not available data

STOT-single exposure:

not available data

- STOT-repeated exposure :

not available data

- aspiration hazard:

not available data

Information on likely routes of exposure:

Inhalation: can be irritant for nose and respiratory system

Skin: can induce skin irritation Eye: can induce eyes irritation Ingestion: Harmful if swallowed

Other informations:

N.A.

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV **===ISO 14001=**

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001/2000=







Maxicrop

Printed 16/11/10 Issued 11/11/2010 Revision 1.0 (11/11/2010)

12 - ECOLOGICAL INFORMATION

Use according to good working rules, avoid to dispose of the product in the environment (see sections 6, 7, 13,14 e 15).

In case of EDAT tetra sodium salt:

12.1 Toxicity

96h-LC50: > 100 mg/l (In condizioni di test standard)

- dafnia

24h-EC50: >500 mg/l

12.2 Persistence and degradability

Not easily biodegradable

12.3 Bioaccumulative potential

N.A

12.4 Mobility in soil

N.A.

12.5 Results of PBT and vPvB assessment

N.A.

12.6 Other adverse effects

N.A.

13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recover the product, if possible, or send to the incineration and disposal system.

Avoid waterway and discharging contamination.

Follow the local and national disposition in force

14 - TRANSPORT INFORMATION

Not dangerous product within the meaning of transport regulations

15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Council Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations) and subsequent amendments. Regulation (EC) nr 1272/2008 (CLP). Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC ocupational exposure limit values).

Regulation (EC) No 1907/2006 (REACH).

Pag. 9 of 10 DALT Cu

Zona Ind.le 66040 ATESSA (Ch) ITALIA tel. (+39)0872 881.1 Fax (+39)0872 897416 www.valagro.com info@valagro.com



COMPANY WITH
ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFIED BY DNV
——ISO 14001——

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=







Maxicrop

Printed	16/11/10	Issued	11/11/2010	Revision	1.0 (11/11/2010)

15.2. Chemical safety assessment

N.A.

16 - OTHER INFORMATION

This MSDS was revised to get it compliant to regulation 453/2010 and cancels and replaces any preceding release.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

Main bibliographic sources:

ACGIH - Threshold Limit Values - 2004 edition

ESIS

Acronyms used in the safety data sheet:

ADN: Accord europeen relative au transport international des marchandises dangereuses par voies de navigation interieures

ADR: Accord europeen relative au transport International des marchandises dangereuses par route

ACGIH: American Conference of Governmental Industrial Hygienist

LC50: Lethal concentration 50 (Lethal Concentration for the 50% of the individuals)

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD 50: Lethal Dose 50 (Lethal dose for the 50% of the individuals) **DNEL:** Derived No effect level (livello derivato senza effetto)

IARC: International Agency for Research on Cancer **IATA:** International air transport association

Codice IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic **PNEC:** Predicted No Effect Concentration

ICAO: International Civil aviation Organization

RID: Reglement concernent le transport International ferroviarie des marchandises dangereuses)

STEL: short term exposure limit TLV: threshold limit value TWA: Time Weighted Average

UE: European Union

vPvB: Very persistent very bioaccumulative

N.A.: not available